




## Technical Data Sheet

### Category

premium multi-function paper  
woodfree, white

### Performance



### Specifications

Size	A4 (210x297 mm), A3 (297x420 mm)
Production Cert	DIN/ISO 9706
Weight (ISO 536)	60 g/m <sup>2</sup>
Whiteness (ISO 11475)	168
Roughness (ISO 8791-2)	24
Thickness (ISO 534)	85
Stiffness MD/CD (ISO 5629)	0,258/0,101
Opacity (ISO 2471)	84

Please note, that these values are inly indicative.  
Valid from 01.2004




## Technical Data Sheet

### Category

premium multi-function paper  
woodfree, white

### Performance



### Specifications

Size	A4 (210x297 mm), A3 (297x420 mm)
Production Cert	DIN/ISO 9706
Weight (ISO 536)	110 g/m <sup>2</sup>
Whiteness (ISO 11475)	168
Roughness (ISO 8791-2)	24
Thickness (ISO 534)	151
Stiffness MD/CD (ISO 5629)	1,420/0,653
Opacity (ISO 2471)	96

Please note, that these values are inly indicative.  
Valid from 01.2004






## Technical Data Sheet

### Category

premium multi-function paper  
woodfree, white


### Performance



### Specifications

Size	A4 (210x297 mm), A3 (297x420 mm)
Production Cert	DIN/ISO 9706
Weight (ISO 536)	90 g/m <sup>2</sup>
Whiteness (ISO 11475)	168
Roughness (ISO 8791-2)	24
Thickness (ISO 534)	122
Stiffness MD/CD (ISO 5629)	0,662/0,302
Opacity (ISO 2471)	95

Please note, that these values are inly indicative.  
Valid from 01.2004






## Technical Data Sheet

### Category

premium multi-function paper  
woodfree, white

### Performance



### Specifications

Size	A4 (210x297 mm), A3 (297x420 mm)
Production Cert	DIN/ISO 9706
Weight (ISO 536)	80 g/m <sup>2</sup>
Whiteness (ISO 11475)	168
Roughness (ISO 8791-2)	24
Thickness (ISO 534)	109
Stiffness MD/CD (ISO 5629)	0,547/0,251
Opacity (ISO 2471)	92

Please note, that these values are inly indicative.  
Valid from 01.2004







## Technical Data Sheet

### Category

premium multi-function paper  
woodfree, white

### Performance



### Specifications

Size	A4 (210x297 mm), A3 (297x420 mm)
Production Cert	DIN/ISO 9706
Weight (ISO 536)	160 g/m <sup>2</sup>
Whiteness (ISO 11475)	168
Roughness (ISO 8791-2)	24
Thickness (ISO 534)	213
Stiffness MD/CD (ISO 5629)	4,759/1,727
Opacity (ISO 2471)	98,5

Please note, that these values are inly indicative.  
Valid from 01.2004